

(continued from outside back cover)

Facile synthesis of tremelliform Co <sub>0.85</sub> Se nanosheets: An efficient catalyst for the decomposition of hydrazine hydrate C.-C. Liu, J.-M. Song, J.-F. Zhao, H.-J. Li, H.-S. Qian, H.-L. Niu, C.-J. Mao, S.-Y. Zhang and Y.-H. Shen (PR China) . . . . .	139
Effect of Au supported TiO <sub>2</sub> with dominant exposed {0 0 1} facets on the visible-light photocatalytic activity S. Zhu, S. Liang, Q. Gu, L. Xie, J. Wang, Z. Ding and P. Liu (PR China) . . . . .	146
Photocatalytic activity of a porphyrin/TiO <sub>2</sub> composite in the degradation of pharmaceuticals S. Murphy, C. Saurel, A. Morrissey, J. Tobin, M. Oelgemöller and K. Nolan (Ireland, Australia) . . . . .	156
Palladium nanoparticles supported on manganese oxide-CNT composites for solvent-free aerobic oxidation of alcohols: Tuning the properties of Pd active sites using MnO <sub>x</sub> H.T. Tan, Y. Chen, C. Zhou, X. Jia, J. Zhu, J. Chen, X. Rui, Q. Yan and Y. Yang (Singapore) . . . . .	166
Nanostructured δ-FeOOH: An efficient Fenton-like catalyst for the oxidation of organics in water I.S.X. Pinto, P.H.V.V. Pacheco, J.V. Coelho, E. Lorençon, J.D. Ardisson, J.D. Fabris, P.P. de Souza, K.W.H. Krambrock, L.C.A. Oliveira and M.C. Pereira (Brazil) . . . . .	175
NO <sub>x</sub> storage and reduction properties of model ceria-based lean NO <sub>x</sub> trap catalysts C. Shi, Y. Ji, U.M. Graham, G. Jacobs, M. Crocker, Z. Zhang, Y. Wang and T.J. Toops (USA, China) . . . . .	183
Preparation of the new polyaniline/ZnO nanocomposite and its photocatalytic activity for degradation of methylene blue and malachite green dyes under UV and natural sun lights irradiations V. Eskizeybek, F. Sari, H. Gülce, A. Gülce and A. Avci (Turkey) . . . . .	197
On the reducibility of sulfated Pt/Ce <sub>x</sub> Zr <sub>1-x</sub> O <sub>2</sub> solids: A coupled thermogravimetric FT-IR study using CO as the reducing agent P. Bazin, O. Saur, O. Marie, M. Daturi, J.C. Lavalley, A.M. Le Govic, V. Harlé and G. Blanchard (France) . . . . .	207
Highly stable ytterbium promoted Ni/γ-Al <sub>2</sub> O <sub>3</sub> catalysts for carbon dioxide reforming of methane M.H. Amin, K. Mantri, J. Newnham, J. Tardio and S.K. Bhargava (Australia) . . . . .	217
Two-step sequence for synthesis of efficient PtSn@Rh/C catalyst for oxidizing ethanol and intermediate products S. Song, C. He, J. Liu, Y. Wang, A. Brouzgou and P. Tsiakaras (China, Greece) . . . . .	227
Enhanced emissions of NH <sub>3</sub> , N <sub>2</sub> O and H <sub>2</sub> from a Pd-only TWC and supported Pd model catalysts: Light-off and sulfur level studies I. Mejía-Centeno, S. Castillo and G.A. Fuentes (Mexico) . . . . .	234
Protection of palladium catalysts for hydrodechlorination of chlorinated organic compounds in wastewaters R. Navon, S. Eldad, K. Mackenzie and F.-D. Kopinke (Israel, Germany) . . . . .	241
Pd and PdAu catalysts supported over 3-MPTES grafted HMS used in the HDS of thiophene V. La Parola, M.L. Testa and A.M. Venezia (Italy) . . . . .	248
Selective catalytic reduction of NO <sub>x</sub> with methanol over supported silver catalysts M. Männikkö, M. Skoglundh and H.H. Ingelsten (Sweden) . . . . .	256
Hierarchical P/YPO <sub>4</sub> microsphere for photocatalytic hydrogen production from water under visible light irradiation F. Wang, C. Li, Y. Li and J.C. Yu (China) . . . . .	267
Modeling of the catalytic removal of CO and NO under lean-burn conditions: Can there be too much catalyst? A.G. Makeev, N.V. Peskov and H. Yanagihara (Russia, Japan) . . . . .	273
NO <sub>x</sub> storage and reduction over flame-made M/MgAl <sub>2</sub> O <sub>4</sub> (M = Pt, Pd, and Rh): A comparative study S. Roy, N. van Vegten, N. Maeda and A. Baiker (Switzerland, Saudi Arabia) . . . . .	279
In situ investigation of Diesel soot combustion over an AgMnO <sub>x</sub> catalyst N. Guilhaume, B. Bassou, G. Bergeret, D. Bianchi, F. Bosselet, A. Desmartin-Chomel, B. Jouguet and C. Mirodatos (France) . . . . .	287
Dry regenerable CuO/γ-Al <sub>2</sub> O <sub>3</sub> catalyst for simultaneous removal of SO <sub>x</sub> and NO <sub>x</sub> from flue gas F. Rahmaninejad, V.S. Gavaskar and J. Abbasian (United States) . . . . .	297
Dehydrative esterification of carboxylic acids with alcohols catalyzed by diarylammonium <i>p</i> -dodecylbenzenesulfonates in water T. Igarashi, D. Yagyu, T. Naito, Y. Okumura, T. Nakajo and Y. Mori . . . . .	304
Influence of cerium precursors on the structure and reducibility of mesoporous CuO-CeO <sub>2</sub> catalysts for CO oxidation L. Qi, Q. Yu, Y. Dai, C. Tang, L. Liu, H. Zhang, F. Gao, L. Dong and Y. Chen (PR China) . . . . .	308
Enhanced hydrothermal stability of high performance lean fuel combustion alumina-supported palladium catalyst modified by nickel Y. Liu, S. Wang, T. Sun, D. Gao, C. Zhang and S. Wa (China) . . . . .	321
Surface oxygen generated upon N <sub>2</sub> O activation on iron containing ZSM-5 type zeolites with different elemental composition A. Ates, A. Reitzmann and G. Waters (Turkey, Germany) . . . . .	329
Highly selective catalytic propylene glycol synthesis from alkyl lactate over copper on silica: Performance and mechanism M.N. Simonov, P.A. Zaikin and I.L. Simakova (Russia) . . . . .	340